



MOBILE FENCE **CATALOG**



TABLE OF CONTENTS	PAGE
ABOUT DEMEX.....	3
DIPLOMAS & CERTIFICATES.....	4
MOBILE SECURE.....	5
MOBILE GUARD.....	6
STREAMLINE 105 METERS KIT.....	7-10
MOBILE ROTATION GATE.....	11
MOBILE SLIDING GATE.....	12
MOBILE SKJUTGRIND.....	13
MOBILE BI-FOLDING GATE.....	14
ROAD ENCLOSURE.....	15
PEDASTRIAN BARRIER.....	16-17
CONCERTINA BARRIER.....	18
BOAT BARRIER.....	19

Peace of mind by day... Peace of mind by night

Demex offers comprehensive area protection solutions and security products. We generate profitability for our customers through a wide product range, high delivery reliability and personal service.



About Us

We are a leading Northern European provider of fencing solutions with a 25% share of Swedish material market.



Mission

Our mission is to give our customers peace of mind by helping them protect their property and those they care about.



Vision

To become the security provider that house, company and institutional owners prefer for protecting their property and those they care about through the development of quality products that are affordable and make life comfortable.



Manufacturing/Wholesale

We offer gates, fencing and automation systems.



Distribution

As a global company we have a unique supply base, and we can offer fast deliveries at attractive prices all over the world.



Development

We are not afraid of new ideas. That is why we design, test, and improve functionality of our products using the latest technologies.



Support

We focus on comprehensive support to our customers. Quality products, repair agreement, and full support of our technicians ensure that our products will serve you for many years.



Global Network




We cooperate with foreign companies in the same industry. We are part of Uniaccess and Unifence.



DIPLOMAS & CERTIFICATES



Highest creditworthiness
2013



ADVANTAGES



STRONG & ECONOMIC



FAST DELIVERY





The Mobile Secure mobile fencing series consists of 2-m high x 3.5-m wide panels made of steel frame with a welded net filling and portable feet for supporting the fencing panels. The Mobile Secure mobile fence has been designed as an economical solution for protection of construction sites or for other uses. It is preferred by many companies and private persons when they are in need of quick protection of their property. Thanks to the simple structure and a complete range of accessories such as concrete, plastic feet, support, etc., you can create a barrier preventing access and thefts that can easily be moved to protect another workplace.

Economical temporary protection solution

We have taken special care during the design of the Mobile Secure range of temporary fencing systems to make sure that we offer an economical solution for protection of your property.

Complete range of accessories

The Mobile Secure temporary fencing system is compatible with all accessories used for complementing the temporary fencing system such as concrete feet, extra support and advertising banners.

Simple and quick to set up and move

The Mobile Secure temporary fencing panels are strong, but light, which makes them easy to set up. The specially designed transport pallets enable easy transportation of the temporary fencing panels from one place to another.



Accessories

DEMEX SKYDDSKLASS 2 




Advertising banner or privacy protection



PRODUCT ADVANTAGES

"Long-lasting product. Strong and economic".





The Mobile Guard temporary fencing series consists of 2 m high x 3.5 m wide panels made of steel tube frame with a horizontal medium high section for extra stability, welded net filling and portable feet for support of the fencing panels.


The Mobile Guard temporary fencing has been designed as an answer to the hire companies' desire for longer service life of the temporary fencing or, alternatively, to provide protection to construction sites with its reinforced steel frame and stronger welded net. Thanks to its robust structure and a complete range of accessories such as concrete and plastic feet, intermediate panels, and access gates, you can create a strong barrier preventing access and thefts that can easily be moved to protect another workplace.

Complete range of accessories

The Mobile Guard temporary fencing system can be combined with different accessories to complete it, from concrete feet to additional support, intermediate panels, gates and advertising banners.

Simple and quick to set up and move

The Mobile Guard temporary fencing panels are strong, but light, which makes them easy to set up. The specially designed transport pallets enable easy transportation of the temporary fencing panels from one place to the next one.



Accessories

DEMEX SKYDDSKLASS 2 



Advertising banner or privacy protection



PRODUCT ADVANTAGES

"Powerfull, strong temporary fence. Long-lasting product".





TEMPORARY FENCE-KIT STREAMLINE 105 SECURE

Streamline 105 Secure is a 105-metre long complete fence with a transport pallet. Streamline 105 Secure is Demex' best low-priced solution for ensuring that the construction site is guarded against damage and thefts.

4 different packages

Choose amongst four different fence packages. The packages have been prepared for the purpose of facilitating purchase and handling. Each package contains a total of 105-metre fence and is delivered directly on site in the form of a transport pallet.

Transport pallets

The accompanying transport pallets are designed for storage and transport of 30 panels. Each transport pallet is equipped with two fork holes, thanks to which it is easy to move the pallet around. There are even four lifting hooks for cranes or any other similar lifting devices.

Weight approx. 112kg

Space for 30 panels

Demex foundation, PVC Base

5 unique advantages:

- EASY grip. The foundation is equipped with two ergonomically designed handles
- High ground clearance. The base is the highest on the market and makes the fence more stable
- The length is 800 mm and the fence is more stable
- The width. The width is customised for best stability
- Weight. 19 kg, easy to manage and sufficiently heavy



PRODUCT ADVANTAGES

"Long-lasting product. Strong and economic".




105m kit

DEMEX SKYDDSKLASS 2 



Advertising banner or privacy protection



Mobile Secure Original

1pc Transport pallet
30pc Mobile Secure 3,5m panels
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Secure Reinforced

1pc Transport pallet
30pc Mobile Secure 3,5m panels reinforced
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Secure Safe

1pc Transport pallet
30pc Mobile Secure 3,5m panels anti-climbing
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Secure Shape

1pc Transport pallet
30pc Mobile Secure 3,5m panels with round corners
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



TEMPORARY FENCE-KIT STREAMLINE 105 GUARD

Streamline 105 Guard is a 105-metre long complete fence with a transport pallet. The system has a longer service life. Streamline 105 Guard is Demex' strong temporary fence system which guards the construction sites against damage and theft.

4 different packages

Choose amongst four different fence packages. The packages have been prepared for the purpose of facilitating purchase and handling. Each package contains a total of 105-metre fence and is delivered directly on site in the form of a transport pallet.

Transport pallets

The accompanying transport pallets are designed for storage and transport of 30 panels. Each transport pallet is equipped with two fork holes, thanks to which it is easy to move the pallet around. There are even four lifting hooks for cranes or any other similar lifting devices.

Weight approx. 112kg

Space for 30 panels

Demex foundation, PVC Base

5 unique advantages:

- EASY grip. The foundation is equipped with two ergonomically designed handles
- High ground clearance. The base is the highest on the market and makes the fence more stable
- The length is 800 mm and the fence is more stable
- The width. The width is customised for best stability
- Weight. 19 kg, easy to manage and sufficiently heavy



PRODUCT ADVANTAGES

"Long-lasting product. Strong and economic".





105m kit

DEMEX SKYDDSKLASS 2 




advertising banner or privacy protection



Mobile Guard Original

1pc Transport pallet
30pc Mobile Secure 3,5m panels
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Guard Reinforced

1pc Transport pallet
30pc Mobile Secure 3,5m panels reinforced
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Guard Safe

1pc Transport pallet
30pc Mobile Secure 3,5m panels anti-climbing
30pc Demex 19kg foundation
30pc connection brackets 0,5kg



Mobile Guard Shape

1pc Transport pallet
30pc Mobile Secure 3,5m panels with round corners
30pc Demex 19kg foundation
30pc connection brackets 0,5kg


MOBILE ROTATION GATE HUGGORMEN



Demex can offer turnstiles as a solution for controlling access to your property.
Turnstiles made by Demex are available for pedestrian access only.
Made of painted, stainless or galvanized profiles.
Single or bidirectional rotation.
Optional RAL colors.
Can be controlled via card reader or other electronic devices.

TECHNICAL INFORMATION

Power	230V AC
Operating Power	24V DC
Control Ring	Single or bidirectional rotation
Function	Free rotation
Passage width	600mm
Max. capacity	20 rotations/min
Variants	Stainless Painted Galvanised



Strong construction


DEMEX SKYDDSKLASS 3 



PRODUCT ADVANTAGES

"Mechanical turnstile - easy to handle".





MOBILE SLIDING GATE SVALAN

Mobile Svalan sliding gate is designed to securely control openings that are up to 8 meters as a single gate or up to 16 meters as a double gate.

Key benefits

- Mounted motor
- 4pc safety edges
- 2pc emergency stop
- All types of transmitters and safety equipment can be connected to the control unit
- Strong design and aesthetic appearance
- Protection Grade 2
- CE-Mark
- C-profile 130x115mm
- Steel frame structure 80x80
- Base-plate 2000x15mm (available in various lengths)

All mobile sliding gates are GALV-FE hot dip galvanized as standard. Sliding gates can be Z-LACK powder-coated in all other RAL colours.



Easyroll wheel system

DEMEX SKYDDSKLASS 2 



PRODUCT ADVANTAGES

"Open super smooth, and adapted to construction sites".




MOBILE SWING GATE ROBUST

Mobil Robust slaggrind är avsedd för att stänga av infarter med bredd upp till 12 meter. 6m som enkelgrind & 12m som dubbelgrind.

Mobile Robust sliding gate is designed to securely control openings that are up to 6 meters as a single gate or up to 12 meters as a double gate.

Key benefits:

- 2pc motors
- 2pc Arm system
- 2pc Consolles
- 2pc safety edges
- 2pc emergency stops
- Protection grade 2
- CE-Mark
- Base-Plate 2000x15mm (available in various lengths)



Barbed wire

DEMEX SKYDDSKLASS 2 



PRODUCT ADVANTAGES

"Economic gate adapted to construction sites".






Mobile Bi-folding gate is designed to securely control openings that are up to 6 meters as a single gate or up to 8 meters as a double gate.

Huvudfördelar:

- 2pc motors
- 1pc Control unit
- 1pc Magnetic lock
- 1pc Car detector
- 1pc Photocell
- 4pc Safety edges
- 2pc Emergency stop
- All types of transmitters and safety equipment can be connected with control unit
- Protection Grade 4
- CE-Mark
- Base-plate 2000x15mm (available in various lengths).

All mobile gates are GALV-FE hot dip galvanized as standard. Gates can be Z-LACK powder-coated in all other RAL colours.



Sweden's fastest automatic gate


DEMEX SKYDDSKLASS 4 



PRODUKT FINESS

"Super-fast and suitable to Nordic climate".





ROAD ENCLOSURE BISON

Road enclosure


Bison is a road enclosure designed for temporary blocking and personal protection at urban construction sites. The Bison heavy enclosure has a number of fields of application, from protecting road workers while they are performing important repairs on our roads, as a protective barrier for pedestrians when repair work is done on pavements or buildings, for preventing access to private land or unauthorised parking and vehicles that stop illegally.

Strong

- Length: 3000mm
- Height: 1000mm
- Width: 300mm
- Tube size: 76x3mm
- Weight: approx. 450kg
- Finish: Galvanised and concrete


Traffic

- Length: 3000mm
- Height: 1000mm
- Width: 300mm
- Tube size: 70x70x3mm
- Weight: approx. 450kg
- Finish: Galvanised and concrete



Customized logo

DEMEX SKYDDSKLASS 1 



Strong or Traffic



PRODUCT ADVANTAGES

"Durable and robust traffic barrier. Simple and easy to manage".





GUARDRAILS PEDASTRIAN BARRIERS

Pedestrian barriers are a perfect choice for protecting surrounding areas and are a common sight at sports facilities, car parks, trees, flower beds, etc.

Guardrails are suitable for all kinds of environments. Pedestrian barriers are perfect as stop rails at car parks where they are installed at target height. If the rail is knocked down and damaged, it is simple to replace one or more of its sections. Pedestrian barriers are also suitable as a separator at green areas and inside sports facilities. The tubes are available in two different dimensions. This is an easy-to-install and maintenance-free rail with a long service life.

Strong and maintenance-free

Manufactured of strong bent steel tubing and available with GALV-FE hot-dip galvanised finish or in stainless steel to ensure a long and maintenance-free service life.

Easy installation

Demex pedestrian barriers are available in a wide range of different shapes and sizes, from 1 m high and 0.5 m wide to 1.4 m high and 2.5 m wide.



Pedestrian barrier with reflex

DEMEX SKYDDSKLASS 1 



Angular or flat foot




PRODUCT ADVANTAGES

"Long-lasting product in various models."





PEDESTRIAN BARREIRS WITH REFLEX



BARRIER 2,3M FLAT FOOT

Article nr. 1070


Height: 1100 x Length: 2269mm

Weight: 24kg

Frame diameter: 39,6

Filling frames: 19,6 diameter

Finish: galvanised



BARRIER 2,3M FLAT FOOT

Article nr. 1072

Height: 1100 x Length: 2269mm


Weight: 24kg

Frame diameter: 38,1

Filling frames: 12 diameter

Finish: galvanised

PEDESTRIAN BARREIRS WITHOUT REFLEX



BARRIER 2,3M FLAT FOOT

Article nr. 1069


Height: 1100 x Length: 2269mm

Weight: 9,2kg

Frame diameter: 38,1

Filling frames: 12 diameter

Finish: galvanised



BARRIER 2,5M FLAT FOOT

Article nr. 1068


Height: 1100 x Length: 2517mm

Weight: 12kg

Frame diameter: 38,1

Filling frames: 12 diameter

Finish: galvanised



BARRIER 2,3M ANGULAR FOOT

Article nr. 1071

Height: 1100 x Length: 2269mm

Weight: 9,2kg

Frame diameter: 38,1

Filling frames: 12 diameter

Finish: galvanised

CORDONS CONCERTINA BARRIER

Demex Concertina barrier

Demex has designed a mobile concertina barrier system, which is earmarked to prevent intrusion of unauthorized traffic.

Trailer barrier system

Trailer barrier system is in 10 various options. You order concertina kit roll individually and customize your order according to your needs.

The systems offered by request and can be offered with Demex Best Price.

There are 3 types of Concertina, and three different trailers: 80, 120 and 150 meters.

Manual barrier system

Demex manual barrier system is 980mm high and 50meter long. The system involves a large concertina roll, manual trolley and clips to link the barrier if it will be longer than 50 meters.

The systems offered by request and can be offered with Demex Best Price.



Manual or trailer barrier system

DEMEX SKYDDSKLASS 5 



PRODUCT ADVANTAGES

"Very effective system and many various options".



Easy, fast set up, and relocation



CORDONS BOAT BARRIER

Boat Barrier

Harbors and other water areas need special protection. Boat barriers are built up from buoys that have been specially designed to stop fast boats. Boat barrier is 1.5 meter in diameter and is available with different kind of spikes.

Demex boat barrier is available in three different options. You order the number of meters and customize your order according to your needs.

The systems offered by request and can be offered with Demex Best Price. There are no restrictions on length that can be ordered. The systems are linked with 360graders links, which means that they can lie out even in the storm.



3 various models

DEMEX SKYDDSKLASS 5 



PRODUCT ADVANTAGES

"Strong and amazingly effective security system".





DEMEX AB

Skruvgatan 15
333 33 Smålandsstenar
e-mail: info@demex.se
tel: 0371 335 40