



DEMEX HÄSTSTAKET





DEMEX HÄSTSTAKET

Hästaket Plast

När du arbetar med hästar - du kan inte kompromissa med säkerhet. PVC häststaket är säkert, enkelt att installera och konkurrenskraftigt.

Kraftiga plaststolpar och staket passar perfekt för tillfälliga hagar. Dessa är lätta att sätta upp, prisvärda och flexibla.

Hos oss kan du välja mellan kompletta plaststaket för ridbanor eller om du vill köpa styckvis med stolpar, plank, grindar eller andra tillbehör till ditt staket eller stängsel.

Huvudfördelar:

- Stark - PVC ger otrolig styrka
- Hållbar - ultraviolettera hämmare skyddar PVC från solen
- Säker - släta, rundade ytor gör stängsel exceptionellt säkert
- Lätt att installera
- Underhållsfri



SÄKERHET



STARK

STANDARD PRODUKTER



1st Stolp och 2st räckan. 1,2m höjd.



1st Stolp och 3st räckan. 1,5m höjd.



Plaststaket med halvnät. 1,2m höjd.




Plaststaket med nät. 1,2m höjd.



Slaggrind enkel eller dubbelbladiga.
Bredd: 1m, 1,5m, 1,8m, 2m, 2,5m, 3m.

T-CONNECTOR - UNDERSIDE



END OF INCOMING RAIL
AND D-CLIP CONNECTOR
RAIL MUST LIE WITHIN
CENTRE OF VIEWING SLOT

RELEASE BUTTON



VIEWING SLOT

HANDLE



SLIDING RAIL 3000 OR 4000

Fixed rail 6m
Section (do not cut)

6200

Sliding rail

6200

SLOT

3000

3000

3000


3000

1270

1. Lay out all parts of race rail slip rails section along the racing line.
2. Mark out and drive in left hand and right hand putlock steels.
3. Assemble swan-necks over steel putlocks with the T connectors fitted
4. Slide the slip rail through the T connectors into position
5. Centre swan necks along the racing line

All dimensions are nominal. Please check if critical.

T-CONNECTOR - UNDERSIDE



END OF INCOMING RAIL
AND D-CLIP CONNECTOR
RAIL MUST LIE WITHIN
CENTRE OF VIEWING SLOT

RELEASE BUTTON



HANDLE

VIEWING SLOT

Fixed rail 6m
Section (do not cut)

6200

SLIDING RAIL 3000 OR 4000

Sliding rail

Sliding rail

SLOT

SLOT

Removable Swan neck

3000

3000

1270

SUNKEN SOCKET

500

1. Lay out all parts of race rail slip rails section along the racing line.
2. Mark out and drive in left hand and right hand putlock steels. Mark the centre position for sunken socket support swan-neck.
3. Assemble swan-necks over steel putlocks with the T connectors fitted
4. Slide the slip rails through the T connectors into position
5. Follow sunken socket information sheet for centre swan-neck support.
6. Centre swan necks along the racing line

All dimensions are nominal. Please check if critical.

Oval rail (6 metre) T-Connectors

6m lengths x 1270mm high running rail


SIZE
Posts 108 x 50, Rails 108 x 50

PAGE NO.
76F

CODE
DEOR-TCH

May 08

DEMEX



All dimensions are nominal. Please check if critical.




PRODUCT NAME

Crowd barrier fence

2m lengths x 1200mm high crowd barrier (leaning rail) with weldmesh infill

SIZE
Posts 150 x 100, Rails 108 x 50
CODE
DECW1200-L-3

PAGE NO.
18
April 04



All dimensions are nominal. Please check if critical.




PRODUCT NAME

Crowd barrier fence

2m lengths x 1200mm high crowd barrier (leaning rail) with tube infill – PR 1200/V/L/3


SIZE
Posts 150 x 100, Rails 108 x 50
CODE
DECT1200-L-3

PAGE NO.
20
Feb 05




All dimensions are nominal. Please check if critical.





DROP BOLT AND FIELD GATE CATCH
FITTED WHERE REQUIRED.
SHOOT BOLT AVAILABLE FOR IN LINE GATE

SEE PAGES 73 & 74 FOR
INSTALLATION AND HANGING GUIDES



All dimensions are nominal. Please check if critical.



PRODUCT NAME

Crowd barrier gate with leaning rail

Gate heights to suit all fence heights

SIZE

Posts 150 x 100, Rails 108 x 50

PAGE NO.


54

CODE

DEGCT-3-L


Dec 05

DEMEX



DROP BOLT AND FIELD GATE CATCH
FITTED WHERE REQUIRED.
SHOOT BOLT AVAILABLE FOR IN LINE GATE

SEE PAGES 73 & 74 FOR
INSTALLATION AND HANGING GUIDES



All dimensions are nominal. Please check if critical.



PRODUCT NAME

3 bar gate

Gate heights to suit all fence heights

SIZE

Posts 150 x 100, Rails 108 x 50

PAGE NO.


51

CODE

DEGPR-3


Dec 02

DEMEX



DROP BOLT AND FIELD GATE CATCH
FITTED WHERE REQUIRED.
SHOOT BOLT AVAILABLE FOR IN LINE GATE

SEE PAGES 73 & 74 FOR
INSTALLATION AND HANGING GUIDES



Duralock Fencing Systems Ltd reserve the right to alter specifications without notice.

All dimensions are nominal. Please check if critical.




Post & 2 rail fence

2m lengths x 1200mm high 2 rail fence – PR 1200/2

SIZE
Posts 150 x 100, Rails 108 x 50
CODE
DE1200-2

PAGE NO.
15
Feb 05



All dimensions are nominal. Please check if critical.



PRODUCT NAME

Post and 3-rail fence

2m lengths x 1400mm high - 3 rail fence

SIZE

Posts 150 x 100, Rails 108 x 50

PAGE NO.



26

CODE

DEI400-3

Dec 02

DEMEX



All dimensions are nominal. Please check if critical.




Picket 2-rail fence

2m lengths x 900mm high - picket fence


SIZE
Posts 100 x 150, Rails 108 x 50PAGE NO.
41CODE
DEPK900-2

Dec 02

DEMEX SLAT AVAILABLE WITH FLAT, ROUND
OR POINTED TOPS.

All dimensions are nominal. Please check if critical.









All dimensions are nominal. Please check if critical.



FOOT MOULDING

RELEASE BUTTON

INTERNAL CONNECTOR
(400, 200 EACH SIDE)RIGHT ANGLE BEND INTERNAL
CONNECTOR AVAILABLE FOR CORNERS

All dimensions are nominal. Please check if critical.





DEMEX

SÄTT GRÄNSER

KONTAKT

info@demex.se

+46 371-33 540

www.demex.se