





# CONSTRUCTION SITE & ROAD PRODUCTS



## DEMEX MOBILE FENCE




### Mobile Secure Original

Art. nr. KIT 105M 01  
1pc Transport pallet  
30pcs Mobile Secure 3,5m panels  
30pcs Demex 20kg foundation  
30pcs connection brackets 0,5kg




### Mobile Guard Shaped

Art. nr. KIT 105M 07  
1st pc Transport pallet  
30pcs Mobile Secure 3,5m panels  
with round corners  
30pcs Demex 20kg foundation  
30pcs connection brackets 0,5kg




### Route 66 Premium FZV Kit

Art. nr. ROUTE66 FZV  
1pc Transport pallet  
30pcs 2,2m galvanised panels  
30pcs Demex 20kg foundation  
30pcs connection brackets 0,5kg



### Accessories



**ORDER YOUR OWN  
PROFILE COLOUR**

Demex offers any colour of your temporary fence.


In our complete range of mobile fences you will find what you need to keep your workplace safe and keep unauthorized people out of the workplace.



# BISON PEDESTRIAN BARRIERS

Bison Pedestrian Barriers are suitable for all kinds of environments. Guardrails are perfect as stop rails at car parks where they are installed at target height. If the rail is knocked down and damaged, it is simple to replace one or more of its sections.

These barriers are also suitable as a separator at green areas and inside sports facilities. This is an easy-to-install and maintenance-free rail with a long service life.



## PEDESTRIAN BARRIER 2,3M TRUCK-EDITION

Art. nr. 1080


Height: 1100 x Width: 2300mm

Weight: 24kg

Frame diameter: 40

Filling: carbon steel, 19.6 diameter

Design: galvanized



## PEDESTRIAN BARRIER 2,3M TRUCK-EDITION LIGHT

Art. nr. 1081


Height: 1100 x Width: 2300mm

Weight: 18kg

Frame diameter: 32

Filling: carbon steel, 12 diameter

Design: galvanized



## PEDESTRIAN BARRIER 2,3M ROTATING FEET

Art. nr. K1070


Height: 1100 x Width: 2300mm

Weight: 24kg

Frame diameter: 40

Filling: carbon steel, 19 diameter

Design: galvanized



## PEDESTRIAN BARRIER 2,5M FIXED FEET

Art. nr. 1072

Height: 1100 x Width: 2500mm

Weight: 15kg

Frame diameter: 38

Filling: carbon steel, 12 diameter

Design: galvanized



## PEDESTRIAN BARRIER 2,3M FLAT FEET

Art. nr. 1070

Height: 1100 x Width: 2300mm

Weight: 24kg

Frame diameter: 40

Filling: carbon steel, 19.6 diameter

Design: galvanized



## PEDESTRIAN BARRIER WITH ENTRANCE GATE

Art. nr. BEP0002

Height: 2300 x Width: 2300mm




## 25pcs TRUCK EDITION BARRIERS WITH A TRANSPORT BASKET

Art. nr. KIT25OT

25pcs barriers with a reflex

50pcs feet

1pc transport basket



## 25pcs BARRIERS 2,5M FIXED FEET WITH A TRANSPORT BASKET

Art. nr. KIT25VIKRF

Height: 1100 x Width: 2500mm

Weight: 15kg

Frame diameter: 38

Filling: carbon steel, 12 diameter

Design: galvanized



## 25pcs BARRIERS FLAT FEET WITH A TRANSPORT BASKET

Art. nr. KIT25

25pcs barriers with a reflex

50pcs feet

1pc transport basket




## BISON MAST LIGHTS



Demex Bison Mast Lights are perfect for lighting construction sites, road and bridge work.

We provide a flexible and dynamic set of lighting options. You can count on getting the rugged build quality and compact size.

## DEMEX TEMPORARY BRIDGES



Demex offers pedestrian bridges in aluminium, which makes the bridge light at the same time gives the bridge a long life. The railings are foldable for increased safety and easy transport.



### ALUMINIUM BRIDGE

Art. nr. ATB13x3,2

Width: 1,30m, Length: 3,20m, weight: 92kg



### ALUMINIUM BRIDGE

Art. nr. ATB1,25x4,0

Width: 1,25m, Length: 4,0m, weight: 116kg

Art. nr. ATB1,25x5,0

Width: 1,25m, Length: 5,0m, weight: 143kg

Art. nr. ATB1,25x6,0

Width: 1,25m, Length: 5,0m, weight: 143kg







# MOBILE GATES



**SOLID-GATE - MOBILE BI-FOLDING GATE**



**JET-GATE - MOBILE BI-FOLDING GATE**

Demex AB offers a wide range of products for access control that give our customers everything they need to control access to their workplace.

Our wide range of products includes all types of mobile gates: sliding gates, swing gates, and turnstiles.



**MOBILE PEDESTRIAN GATE**



**SVALAN - MOBILE SLIDING GATE**



**ID06**

**ID06 as an option**

As a complement to our construction fences, we offer mobile gates with ID06 solutions.



**ROBUST - MOBILE SWING GATE**



**COBRA - MOBILE TURNSTILE**



## BISON HEAVY BARRIERS

Bison is a heavy barrier designed for temporary blocking and personal protection at urban construction sites. The Bison barrier has a number of fields of application, from protecting road workers, as a protective barrier for pedestrians when repair work is done on pavements or buildings, for preventing access to private land or unauthorised parking and vehicles that stop illegally.

Demex offers three different models.



### BISON ELITE

Art. nr. K0004  
 Length: 3000mm  
 Height: 1000mm  
 Width: 300mm  
 Boom dimension: 76mm  
 Weight: approx. 450 kg



### BISON TRAFFIC

Art. nr. K0003  
 Length: 3000 mm  
 Height: 1000 mm  
 Width: 300 mm  
 Boom dimension: 70x70x3mm  
 Weight: approx. 450 kg



### BISON STRONG

Art. nr. K0002  
 Length: 3000mm  
 Height: 1000mm  
 Width: 300mm  
 Boom dimension: 76mm  
 Weight: approx. 450 kg



## ROAD BARRIERS

**Bom Secure** is a manual road barrier that opens like a swing gate; it extends telescopically to a distance of up to 5,5 metres.

**SPEED 4500** is an economical & strong barrier for an opening width of 4.5 – 6.5 meters. The affordable and well-liked barriers are gaining market interest due to several aspects and advantages:

- Excellent and durable quality,
- Reliable multifunctional mechanism,
- Safe, fast and versatile maneuvering,
- Reliable and guaranteed electronics and mechanism.

**Giraffen** is a manual road barrier that opens upwards and can close roads that are up to 9 m wide. The barrier arm is balanced with a counterweight to ensure easy use. It has been developed to quickly and simply block roads and driveways.

Length: 3000 - 9000mm  
 Barrier dimension: Ø 102mm





**DEMEX**

SÄTT GRÄNSER

**Demex AB,  
Norra Släthultsvägen 9 - 11,  
333 30 Smålandsstenar  
Sweden  
[www.demex.se](http://www.demex.se)  
tel. +46 371-33 500**